



# EXPRESS HAULER TRAILERS



Shown above is a 7' x 16' Express Hauler with an optional ramp door package and optional aluminum star wheels.

# BUILT FOR THE LONG HAUL



# MODELS

## UEH Series

(round top, radius front)



6' x 12' UEH



7' x 14' UEH

## UEH Series

(round top, V-nose front)



6' x 10' UVEH

## XVEH Series

(flat top, V-nose front)



6' x 10' XVEH



Optional Ramp Door



Standard Double Doors

## STYLE MEETS VALUE.

Get the most from your budget without sacrificing style or quality. The versatile Express Hauler combines stylish features such as an aerodynamic front cap, white spoke wheels, aluminum fenders and 24" tall aluminum stone guard with the quality construction you expect from a United Trailer. The Express Hauler comes with many standard features, and the popular options allow you to customize your trailer to fit all your hauling needs.

# POPULAR OPTIONS




**FOLD-DOWN STABILIZER JACK**



**ALUMINUM STAR WHEEL**



**NON-POWERED ROOF VENT**



**CARGO VISE LOCK**

## COLORS & FLOOR OPTIONS

|  |             |                  |  |                 |
|--|-------------|------------------|--|-----------------|
|  | White       | <b>METALLIC*</b> |  | Windstar Silver |
|  | Dove Gray   |                  |  | Pewter          |
|  | Black       |                  |  | Charcoal        |
|  | Burgundy    |                  |  | Indigo Blue     |
|  | Cargo Green |                  |  | Arctic Green    |
|  | Red         |                  |  | Champagne       |
|  | Orange      |                  |  |                 |
|  | Yellow      |                  |  |                 |

\*Color match for metallic colors not available on front trailer caps. Caps are available in black, white and red only.



### Marble-look Vinyl

Classy and clean looking, this is an easy to maintain floor.

### Black And White Vinyl

Sporty, durable and attractive, this is a favorite among motorsports buffs.

### Aluminum Tread Plate

You can't beat this heavy-duty floor that handles the toughest punishment.

### .080 Smooth Aluminum

Great for a clean looking, yet tough and durable floor.

### European Non-Skid

Rubber flooring that is great for use in rain or shine while providing safety.

## SECURE YOUR CARGO




### HEAVY DUTY D-RINGS

No trailer is complete without a method for securing your load. The heavy-duty D-rings are versatile and inexpensive.

### E-TRACK & E-TRACK CLIPS

E-track can be mounted in either the wall or the floor to provide maximum flexibility in securing your cargo. In addition, they can either be surface mounted or recessed.



### TSR VENTS

Mount one in the front sidewall of your trailer and one in the rear sidewall on the opposite side. They keep fresh air flowing through your trailer and reduce the buildup of fumes.



Visit [www.united-trailers.com](http://www.united-trailers.com) to view more option photos!



# SPECS & STANDARDS

## STANDARDS ON ALL MODELS

| UEH Sizes |                              |                              |                                  |
|-----------|------------------------------|------------------------------|----------------------------------|
| Size      | 3,000 lb. axle<br>2,990 GVWR | 3,500 lb. axle<br>3,500 GVWR | 2 - 3500 lb. axles<br>7,000 GVWR |
| 5' x 8'   | X                            | X                            |                                  |
| 5' x 10'  | X                            | X                            | X                                |
| 6' x 8'   | X                            | X                            |                                  |
| 6' x 10'  | X                            | X                            | X                                |
| 6' x 12'  | X                            | X                            | X                                |
| 6' x 14'  | X                            | X                            | X                                |
| 7' x 10'  |                              | X                            | X                                |
| 7' x 12'  |                              | X                            | X                                |
| 7' x 14'  |                              | X                            | X                                |
| 7' x 16'  |                              |                              | X                                |
| 7' x 18'  |                              |                              | X                                |
| 7' x 20'  |                              |                              | X                                |

| UVEH Sizes |   |   |   |
|------------|---|---|---|
| 6' x 10'   | X | X | X |
| 6' x 12'   | X | X | X |
| 6' x 14'   | X | X | X |
| 7' x 12'   |   | X | X |
| 7' x 14'   |   | X | X |
| 7' x 16'   |   |   | X |

| XVEH Sizes |   |   |   |
|------------|---|---|---|
| 5' x 8'    | X | X |   |
| 5' x 10'   | X | X | X |
| 6' x 8'    | X | X |   |
| 6' x 10'   | X | X | X |
| 6' x 12'   | X | X | X |
| 6' x 14'   | X | X | X |
| 7' x 12'   |   | X | X |
| 7' x 14'   |   | X | X |
| 7' x 16'   |   |   | X |

| UEH Widths      |         |         |         |
|-----------------|---------|---------|---------|
|                 | 5' Wide | 6' Wide | 7' Wide |
| Interior width  | 56-3/4" | 68-1/2" | 80-1/2" |
| Rear Door Width | 52"     | 64"     | 76"     |
| Body Width      | 60"     | 72"     | 84"     |
| Overall Width   | 80"     | 92"     | 102"    |

| UVEH Widths     |     |         |         |
|-----------------|-----|---------|---------|
| Interior width  | N/A | 68-1/2" | 80-1/2" |
| Rear Door Width | N/A | 64"     | 76"     |
| Body Width      | N/A | 72"     | 84"     |
| Overall Width   | N/A | 92"     | 102"    |
| Nose length     | N/A | 24"     | 30"     |

| XVEH Widths     |         |         |         |
|-----------------|---------|---------|---------|
| Interior width  | 56-3/4" | 68-1/2" | 80-1/2" |
| Rear Door Width | 52"     | 64"     | 76"     |
| Body Width      | 60"     | 72"     | 76"     |
| Overall Width   | 80"     | 92"     | 102"    |
| Nose length     | 18"     | 18"     | 18"     |

### FRAME AND HITCH

- Lightweight Steel Uni-Body Construction
- Protective Undercoating on Lower Frame
- Weatherguard Coating on all Fasteners
- 16" On-Center Walls
- 24" On-Center Floor & Ceiling

### TIRES AND AXLES

- E-Z Lube Hubs®
- 15" Bias-Ply Tires
- White Spoke Wheels
- Spring Axles
- 4-Way Trailer Plug on Models w/Idler Axles
- 7-Way Trailer Plug on Models w/Electric Brakes with Breakaway Kit

### INTERIOR

- Lauan Wood Interior Walls
- 3/4" Plywood Floor
- Apx. 5' Interior Height on 5' Wide Models
- Apx. 6' Interior Height on 6' & 7' Wide Models

### EXTERIOR

- .030 Smooth Aluminum Exterior
- Aluminum Treadplate Stoneguard
- Safety Chains
- 2" Coupler Standard on 5' & 6' Wides
- 2-5/16" Coupler Standard on 7' Wides
- Aluminum Outside Fenders

### DOORS

- Double Rear Doors
- No Side Door on 5' Wide Models
- 32" Side Door on 6' & 7' Wide Models (28" Doors on 10' Long Models w/Tandem Axles)

### 12 VOLT ELECTRICAL

- (1) 12-Volt Light on 5' Wide Models
- (2) 12-Volt Lights w/Switch on 6'-7' Wide Models



### Sidewall Rust Inhibitors

Each trailer has a special barrier to minimize corrosion from electrolysis. All exterior sheet metal screws are warranted for 5 years against corrosion.



Units may be shown with optional features. Please see your dealer for current standard specifications and options. We reserve the right to change specifications at any time, without incurring obligation.

Your Authorized United Trailers Dealer:



19985 County Road 8 • Bristol, IN 46507  
 Phone: 574.848.7088 • Toll Free: 800.637.2592  
 www.united-trailers.com